



AMP-TY

TE Internal #: 1-608692-0
Releasable Cable Tie, Bag, 50 lbf Tensile Strength, 222.411 Newton
Tensile Strength, 164 mm [7.9 in] Length, 4.72 mm [.186 in] Width,
Black, Nylon

[View on TE.com >](#)

Wire & Cable > Wire & Cable Accessories > Cable Ties



Cable Tie Style: **Releasable**
Packaging Method: **Bag**
Tensile Strength: **222.411 Newton**
Product Length: **164 mm [7.9 in]**

Features

Product Type Features

Cable Tie Style	Releasable
Tensile Strength	222.411 Newton

Body Features

Primary Product Color	Black
Primary Product Material	Nylon

Dimensions

Compatible Cable Bundle Diameter Range	34.93 mm[1.38 in]
Product Length	164 mm[7.9 in]
Product Width	4.72 mm[.186 in]
Product Thickness	1.17 mm[.046 in]

Packaging Features

Packaging Method	Bag
Packaging Quantity	100

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold




EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought




TE Part #87667-3
MOD IV RECP LP



TE Part #102387-1
10 MODIV HSG COMP DR .100 POL



TE Part #207516-5
HDP-20,RCPT,SIZE 3, 25 POSN,CL



TE Part #750644-1
50SR SCREWLOCK KIT,FEMALE



TE Part #1658640-1
HDP-20,RCPT,SIZE 5, 50 POSN



TE Part #1658690-1
HDP-22,RCPT,SIZE 1,15 POSN,CLI



TE Part #2-6609115-3
6EGG1-2=F7386D

Documents

Product Drawings
CABLE TIE,RELEASABLE,BLK,100PK
English

1-608692-0

Releasable Cable Tie, Bag, 50 lbf Tensile Strength, 222.411 Newton Tensile Strength, 164 mm [7.9 in] Length, 4.72 mm [.186 in] Width, Black, Nylon



Datasheets & Catalog Pages

CABLE TIES

English