

Accessories
CB 365/7.5 NATUR**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



CB cable ties for the fastening of cables and markers.

- They are particularly suitable for fastening CLI M, SFX, WKM and WKS cable markers
- IEC 62275: 2006-conformant
- Fracture-resistant polyamide PA 6.6 with flammability rating V2 to UL-94

General ordering data

Type	CB 365/7.5 NATUR
Order No.	1279100000
Version	Cable ties, Height x width: 365 x 7.8 mm, Polyamide 66, 540 N
GTIN (EAN)	4008190104665
Qty.	100 pc(s).

Accessories

CB 365/7.5 NATUR

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Width	7.8 mm	Width (inches)	0.307 inch
Height	365 mm	Height (inches)	14.37 inch
Depth	0 mm	Net weight	5.25 g

Installation materials

Cable diameter, max.	100 mm	Material	Polyamide 66
Operating temperature range, max.	85 °C	Operating temperature range, min.	-40 °C
Tensile strength	540 N	UL 94 flammability rating	V-2

Classifications

ETIM 3.0	EC000046	ETIM 4.0	EC000046
ETIM 5.0	EC000046	ETIM 6.0	EC000046
UNSPSC	30-21-18-01	eClass 5.1	27-14-07-02
eClass 6.2	27-14-07-02	eClass 7.1	27-14-07-02
eClass 8.1	27-14-07-02	eClass 9.0	27-14-07-02
eClass 9.1	27-14-07-02		

Approvals

Approvals



ROHS Conform

Downloads

Approval/Certificate/Document of Conformity	DE PI830000 160627 001
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP

Data sheet**Accessories**
CB 365/7.5 NATUR

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings