

Accessories
SCT 4,6/679**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



Similar to illustration

Weidmüller Steel Series contains a comprehensive assortment of steel cable ties for extreme conditions such as high temperatures or severe chemical effects.

- stainless steel AISI 304,
- patented closure enables easy, secure installation,
- patented rounded edges reduce the risk of injury,
- ideal for use outdoors,
- radiation- and corrosion-resistant,
- anti-magnetic,
- no serrations, so no damage to the insulation.

General ordering data

Type	SCT 4,6/679
Order No.	1699930000
Version	Accessories, Cable ties, x 4.6445 N
GTIN (EAN)	4008190892371
Qty.	100 pc(s).

Accessories

SCT 4,6/679

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Technical data

Dimensions and weights

Width	4.6 mm	Width (inches)	0.181 inch
Height	679 mm	Height (inches)	26.732 inch
Depth	0.25 mm	Depth (inches)	0.01 inch
Net weight	6.71 g		

Installation materials

Cable diameter, max.	203 mm	Material	Stainless steel 1.4301
Operating temperature range, max.	538 °C	Operating temperature range, min.	-80 °C
Tensile strength	445 N		

Classifications

ETIM 3.0	EC000046	ETIM 4.0	EC000046
ETIM 5.0	EC000046	ETIM 6.0	EC000046
UNSPSC	30-21-18-01	eClass 5.1	27-14-07-02
eClass 6.2	27-14-07-02	eClass 7.1	27-14-07-02
eClass 8.1	27-14-07-02	eClass 9.0	27-14-07-02
eClass 9.1	27-14-07-02		

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	EPLAN, WSCAD
------------------	------------------------------

Accessories
SCT 4,6/679

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings**Drawing**