



Q

Keyword, Part Number or Cross-Reference

All Products

Solutions

Support

Bill of Materials

Home / Products / Wire Routing, Management & Protection / Cable & Wire Ties, Mounts & Straps / Cable & Wire Ties / PLC2S-S6-M



PLC2S-S6-M

Share

Locking Clamp Ties

Pan-Ty® locking clamp tie, standard cross section, #6 (M3) screw, 7.9 (201mm) length, nylon 6.6, natural, bulk package.

Q

Find A Distributor

Qty

Add to Bom

Specifications

Packaging Detail

Resources

Related Products

Top of Page

Specifications

Application	General
Product Type	Locking Clamp Ties
Color	Natural
Environment	Plenum
Material	Nylon 6.6
Standards Met	CE Compliant; CSA Certified; UL 62275 Compliant (Type 2, 21); UL Listed; UL Recognized
Screw Size	#6 (M3)
Maximum Bundle Diameter (In.)	1.84
Minimum Bundle Diameter (In.)	0.06
Sub Brand	Pan-Ty®
Maximum Bundle Diameter (mm)	47
Minimum Bundle Diameter (mm)	1.5
Maximum Installation Temperature (°F)	32
Maximum Operating Temperature (°C)	85
Minimum Operating Temperature (°C)	-60
Maximum Operating Temperature (°F)	185

Minimum Operating Temperature (°F)	-76
Mounting Hole Width (In.)	0.37
Mounting Hole Width (mm)	9.5
Overall Length (In.)	7.9
Overall Length (mm)	200.7
Body Width (In.)	0.19
Body Width (mm)	4.8
Body Thickness (In.)	0.047
Body Thickness (mm)	1.2
Resistance Properties	NA
Minimum Loop Tensile Strength (N)	222
Minimum Loop Tensile Strength (lb)	50
Part Features	Used to secure a cable bundle to another surface such as a control panel, communication rack, wall or ceiling.

Packaging Detail

UPC	07498355081
Std. Pkg. Qty.	1000
Std. Pkg. Volume (cf)	0.2677
Std. Ctn. Qty.	10000
Std. Ctn. Volume (cf)	2.6767

Resources

NOTE: Not all resources are available in your language.
If product info is not displayed in your selected language, it will be coming. We will continue to improve the experience over time.

Language

All

Part Drawings	PAN-TY Clamp Tie: SS-2724	English	View PDF (64.85KB)	Download PDF	Share PDF
Videos	Premium Cable Ties	English	View MP4 (25.40MB)	Download MP4	Share MP4
Selection Guides	Cable Ties Product Selection Guide.	English	View PDF (2.73MB)	Download PDF	Share PDF

Related Products



BT4LH-L0

The BT4LH-L0 Dome-Top® barb tie, features a unique patented design with its round smooth edges. Paired with the stainless steel locking barb, these cable ties provide consistent performance, reliability and infinite adjustability through the entire bundle range. Light Heavy cross section, 14.9" (378mm) length. Appropriate for Indoor/Outdoor use, made of Weather Resistant Nylon 6.6 with high resistance to ultraviolet light, are black in color and come in packages of 50.



BT4LH-TL0

The BT4LH-TL0 Dome-Top® barb tie, features a unique patented design with its round smooth edges. Paired with the stainless steel locking barb, these cable ties provide consistent performance, reliability and infinite adjustability through the entire bundle range. Light Heavy cross section, 14.9" (378mm) length. Appropriate for Indoor/Outdoor use, made of Weather Resistant Nylon 6.6 with high resistance to ultraviolet light, are black in color and come in packages of 250.



PLT4S-M0

Panduit PLT4S-M0 Locking Cable Ties are designed to satisfy the needs of general applications, while delivering consistent performance and reliability. Featuring a curved tip to allow for easy pick up from flat surfaces and faster initial threading. Standard cross section, 14.5" (368mm) length. For Indoor/Outdoor use, made of Weather Resistant Nylon 6.6, are black in color and come in packages of 1000.



Email Support

Available 24/7



1-800-777-3300

Monday–Thursday: 7:00 am–6:30 pm (CST)
Friday: 7:00 am–6:00 pm (CST)



Where to Buy

Find a Panduit Distributor or Partner

About Us

Research and Development

Awards

Case Studies

Panduit Code of Conduct

Company Profile

Media Resources

Environmental, Social, and Governance

Partner Ecosystem

World Headquarters

Careers at Panduit

The Hub – Partner Portal

Product Registration

Panduit Connections Blog



Get Our Catalog

Download the PDF or request a copy be mailed to you.

-Choose a catalog-

Download

US & Canada | English

