



Wire & Cable > Wire & Cable Accessories > Cable Ties



Cable Tie Style: **Standard**

Packaging Method: **Bag**

Tensile Strength: **222.41 Newton**

Product Length: **300 mm [11.83 in]**

Features

Product Type Features

Cable Tie Style	Standard
Tensile Strength	222.41 Newton

Body Features

Primary Product Color	Natural
Primary Product Material	Nylon

Dimensions

Compatible Cable Bundle Diameter Range	76.2 mm[3 in]
Product Length	300 mm[11.83 in]
Product Width	4.65 mm[.183 in]
Product Thickness	1.3 mm[.051 in]

Packaging Features

Packaging Method	Bag
Packaging Quantity	100



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Customers Also Bought



TE Part #81543-16
CONT SOC ASSY



TE Part #593035-000
RTD-50-M-01



TE Part #878126-000
207W223-3-01/42-0




TE Part #CV7712-000
D-200-0228-RT

1-604751-9

Standard Cable Tie, Bag, 50 lbf Tensile Strength, 222.41 Newton Tensile Strength, 300 mm [11.83 in] Length, 4.65 mm [.183 in] Width, Natural, Nylon




TE Part #100504L
CONT SOC ASSY



TE Part #65009-004-513
MODULE ASSY




TE Part #8-52949-1
PG SPR SPD 22-16COMM22-18MIL 6



TE Part #66570-2
20 DF PIN PLTD



TE Part #2828383-1
CONN KIT,VITA66.4-DERIV,RCPT,
DUAL-CAVITY



TE Part #ZPF000000000147772
CTJ720E01B-513

Documents

Product Drawings

CABLE TIE,11-3/4" L, NAT,100PK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-604751-9_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-604751-9_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-604751-9_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CABLE TIES

English